

*DM  
Kremer*

*LLC ONZIGON  
www.ONZIGON.com*




GLYCODUR®

- HOME
- PRODUCT RANGE**
- Bearing Materials
  - GLYCODUR F
  - GLYCODUR A+AB
  - Special Materials
  - Properties
- Bearing Technique
  - Determination of Bearing Size
  - Tolerances
  - Installation
- Dimension Tables
  - Overview
- COMPANY
- INFO + NEWS
- PARTNERS
- CONTACT

Dimension tables

**GLYCODUR® Dimension Tables**



Dimension Table GLYCODUR® F Flanged Bushings

Go

**Dimension Table GLYCODUR® F Flanged Bushings**

d	Dimensions					Basic load rates			Mass	Designation
	D	D1	B	B1	rad.dyn. C	stat. Co	ax.dyn.Ca	stat. Coa		
mm	mm	mm	mm	mm	N	N	N	N	g	
5	7	11.5	4	1	800	2500	2850	9000	1.1	PBG 050704 F
6	8	12	4	1	965	3000	2750	8650	1.3	PBG 060804 F
	8	12	8	1	2900	9000	2750	8650	1.9	PBG 060808 F
8	10	15	5.5	1	2240	6950	5100	16000	2.1	PBG 081005.5 F
	10	15	7.5	1	3550	11000	5100	16000	2.5	PBG 081007.5 F
	10	15	9.5	1	4800	15000	5100	16000	2.9	PBG 081009.5 F
10	12	18	7	1	4000	12500	8000	25000	3.1	PBG 101207 F
	12	18	9	1	5600	17600	8000	25000	3.6	PBG 101209 F
	12	18	12	1	8000	25000	8000	25000	4.3	PBG 101212 F
	12	18	17	1	12000	37500	8000	25000	5.6	PBG 101217 F
	12	18	20	1	14400	45000	8000	25000	6.1	PBG 101220 F
12	14	20	7	1	4800	15000	9150	28500	3.6	PBG 121407 F
	14	20	9	1	6700	20800	9150	28500	4.2	PBG 121409 F
	14	20	12	1	9650	30000	9150	28500	5.1	PBG 121412 F
	14	20	15	1	12500	39000	9150	28500	6.1	PBG 121415 F
	14	20	17	1	14300	45000	9150	28500	6.6	PBG 121417 F
13	15	21	17	1	15600	48750	9500	29800	6.8	PBG 131517 F
14	16	22	12	1	11000	34500	10000	31500	5.8	PBG 141612 F
	16	22	17	1	16600	52000	10000	31500	7.5	PBG 141617 F
15	17	23	9	1	8300	26000	10400	32500	5.1	PBG 151709 F
	17	23	12	1	12000	37500	10400	32500	6.2	PBG 151712 F
	17	23	17	1	18000	56000	10400	32500	7.6	PBG 151717 F
16	18	24	12	1	12200	38000	8500	26500	6.2	PBG 161812 F
	18	24	15	1	16600	52000	8500	26500	7.1	PBG 161815 F
	18	24	17	1	18600	58500	8500	26500	8.1	PBG 161817 F

*17/04/10 11:24:57 INDUSTRIAL*

<b>18</b>	20	26	12	1	13700	42500	9300	29000	7.3	<b>PBG 182012 F</b>
	20	26	17	1	20800	65500	9300	29000	9.5	<b>PBG 182017 F</b>
	20	26	22	1	28000	88000	9300	29000	12	<b>PBG 182022 F</b>
<b>20</b>	23	30	11.5	1.5	14300	45000	17300	54000	13	<b>PBG 202311.5 F</b>
	23	30	15	1.5	20000	62000	17300	54000	16	<b>PBG 202315 F</b>
	23	30	16.5	1.5	22000	69500	17300	54000	17	<b>PBG 202316.5 F</b>
	23	30	21.5	1.5	30500	95000	17300	54000	21	<b>PBG 202321.5 F</b>
<b>25</b>	28	35	11.5	1.5	17300	54000	20400	64000	16	<b>PBG 252811.5 F</b>
	28	35	16.5	1.5	28000	85000	20400	64000	21	<b>PBG 252816.5 F</b>
	28	35	21.5	1.5	37500	116000	20400	64000	25	<b>PBG 252821.5 F</b>
<b>30</b>	34	42	16	2	30500	95000	29000	91500	35	<b>PBG 303416 F</b>
	34	42	26	2	54000	170000	29000	91500	50	<b>PBG 303426 F</b>
<b>35</b>	39	47	16	2	35500	110000	33500	104000	43	<b>PBG 353916 F</b>
	39	47	26	2	63000	196000	33500	104000	61	<b>PBG 353926 F</b>
<b>40</b>	44	53	20	2	51200	160000	41000	124400	44.7	<b>PBG 404420 F</b>
	44	53	26	2	70400	220000	41000	124400	61.9	<b>PBG 404426 F</b>

Top of page

---

Product range - Company - Info & News - Partners  
Contact - Home

© 1999-2009 Federal-Mogul Wiesbaden GmbH  
Federal-Mogul Corporation  
Privacy Policy and Legal Disclaimer

