


OEM 0.1M → OEM 1.0 Series

**Side Load Adaptor (SLA)**

**Adjustable Series**



Catalog No./Model	Part Number	Model (Ref)	Stroke in. (mm)	A in. (mm)	B in. (mm)	C in. (mm)	D in. (mm)	E in. (mm)	S in. (mm)	WF in. (mm)	WL in. (mm)
<b>SLA 10MF</b>	SLA 33457	ECO OEM 0.1M	.25 (6,4)	.47 (12)	.43 (11)	M10 x 1	.20 (5)	.85 (21,9)	.51 (13)	11 (11)	.28 (0,28)
<b>SLA 12MF</b>	SLA 33299	ECO OEM .15M	.38 (10,0)	.71 (18)	.55 (14)	M12 x 1	.24 (6)	1.28 (32,4)	.63 (16)	13 (13)	.28 (0,28)
<b>SLA 1/2 - 20 x .38</b>	SLA 71133	ECO (LR)OEM .25	.38	.71	.65	1/2 - 20 UNF	.31	1.37	.71	.63	.28
<b>SLA 14MC</b>	SLA 34756	ECO (LR)OEM .25M	(10,0)	(18)	(16)	(M14 x 1,5)	(8)	(34,3)	(18)	(15)	(7,0)
<b>SLA 9/16 - 18 x .50</b>	SLA 71134	ECO (LR)OEM .35	.5	.79	.63	9/16 - 18 UNF	.31	1.55	.71	.63	.28
<b>SLA 16 MF</b>	SLA 34757	ECO (LR)OEM .35M	(12,7)	(20)	(16)	(M16 x 1.5)	(8)	(39,2)	(20)	(17)	(7,0)
<b>SLA 3/4 - 16 x .50</b>	SLA 33847	ECO (LR)OEM .5	.5	.94	.55	3/4 - 16 UNF	.43	1.64	.98	.88	.28
<b>SLA 20 MC</b>	SLA 33262	ECO (LR)OEM .5M	(12,7)	(14)	(24)	(M20 x 1,5)	(11)	(41,5)	(25)	(22)	(7,0)
<b>SLA 1-12 x 1</b>	SLA 33848	ECO (LR)OEM 1.0	1.0	1.50	1.80	1-12 UNF	.59	2.88	1.42	1.25	.39
<b>SLA 25 MF</b>	SLA 33263	ECO (LR)OEM 1.0MF	(25,0)	(38)	(30)	(M25 x 1,5)	(15)	(73,2)	(36)	(32)	(0,28)
<b>SLA 27 MC</b>	SLA 33296	ECO (LR)OEM 1.0M	(25,0)	(38)	(30)	(M27 x 3)	(15)	(73,2)	(36)	(32)	(0,28)

Notes: 1. Maximum sideload angle is 30°. 2. Part Numbers in page color are non-standard lead time items, contact ITT Enidine.

**Clevis Mount**



Catalog No./Model	(S) Stroke in. (mm)	L in. (mm)	M +.010/-0.000 in. (mm)	N +.010/-0.000 in. (mm)	P +.000/-0.010 in. (mm)	Q in. (mm)	S in. (mm)	V in. (mm)	W in. (mm)	X in. (mm)	Weight (mass) oz. (g)
<b>Δ ECO OEM 1.0 CMS</b>	1.0	6.38	.141 +.005/-0.000	.251 +.005/-0.000	.375 +.000/-0.010	.25	1.25	.13	.35	.25	13.9
<b>Δ ECO OEM 1.0M CMS</b>	25	162,1	3,58 +0,13/0	6,02 +0,13/0	9,5 0/0,3	6,4	31,8	3,2	9,0	6,4	394

Notes: 1. Maximum sideload angle is 30°. 2. Δ = Non-standard lead time items, contact ITT Enidine.